PRICE LIST

OF

EXTRAS AND PARTS

FOR

HARRIS

26-36½" SIDE HILL

COMBINED HARVESTERS

AND

40-45 HP MOTORS

EFFECTIVE MAY 1ST, 1921

(SUBJECT TO CHANGE WITHOUT NOTICE)

THE HARRIS MANUFACTURING COMPANY

EXECUTIVE OFFICES AND FACTORY
STOCKTON, CALIFORNIA

BRANCH OFFICE AND FACTORY
WALLA WALLA, WASHINGTON

PRICE LIST

OF

EXTRAS AND PARTS

FOR

HARRIS

26-36½″ SIDE HILL

COMBINED HARVESTERS

AND

40-45 HP MOTORS

EFFECTIVE MAY 1ST, 1921

(SUBJECT TO CHANGE WITHOUT NOTICE)

THE HARRIS MANUFACTURING COMPANY

EXECUTIVE OFFICES AND FACTORY
STOCKTON, CALIFORNIA

BRANCH OFFICE AND FACTORY
WALLA WALLA, WASHINGTON

INSTRUCTIONS FOR ORDERING EXTRAS

Place your orders as far in advance of harvest as possible.

Place all orders with our authorized dealer in your territory.

Order all parts by LETTER, if possible.

If need for parts is urgent, order by TELEGRAPH. Telephone orders are taken at purchaser's risk as to delays and all transportation charges.

Give number and full description of parts, as well as size of machine for which wanted. Only our castings and motor parts are numbered. Therefore, give measurements as well as full description when ordering parts for Drapers, Straw Carriers, Grain Carriers, Jackson Feeders, Separator Shoes, Screens, Shafting, etc.

Give your postoffice address, shipping point, county and state. Indicate whether shipment is wanted by express, freight or parcel post.

Consider the time of less-than-carload freight shipments before ordering parts by freight.

Express and freight shipments will be made charges collect unless there is no freight or express agent at your shipping point, in which case charges will be prepaid and added to charge for parts.

On all shipments by parcel post, postage will be added to charge for parts.

Shipments are not insured unless requested. (We will gladly insure parcel post shipments on request, adding the cost to our charge.)

A packing list is included in each shipment of repairs. When received, compare the parts with this list and in case of shortage make report AT ONCE. Unless this is done, claims cannot be allowed.

No parts furnished free except in accordance with machine warranty.

Except where the responsibility is ours, a handling charge of 10 per cent of our charge for parts returned will be made in allowing credit.

INDEX

	PAGE
Carriers—Grain and Straw	19
Castings—Header	23
Castings—Separator	12
Castings and Numbered Parts—Motor	37
Chain—Malleable	30
Chain—Roller	30
Drapers	26
Feeders—Jackson	19
Miscellaneous Parts—Header	24
Miscellaneous Parts—Motor	39
Miscellaneous Parts—Separator	16
Plates—Header Castings	20
Plates—Motor Parts	31
Plates—Separator Castings	4
Shafting—Header	24
Shafting—Separator	15


L
R
R4
RX
S
U
UU
24
25
30F
75
81
133
194
196
199
215
231
254
255
258R
258L
807
1287
1160
1161
1203
1314
1427


285
289
310
311R
311L
359
360
372
373
384
438R
439
438L
445
447
469
473
474
481
482
482½
488
489R
489L
490
491
511
512
517
521
532
532B
538
561
581
582
585
592
601


647
659Y
663
680
709
720
730
739
744
777
793
794
804
812
819
826
827
828
831
832
838
839
853
893
901



787



788



788B

788½

CYLINDER TEETH

EAR

HEAD

BAR

CONCAVE TEETH

BAR

BAND


750
798
799
803
1386
11556
11557
11558


995
1216
1217
1218
1219
1220
1221
1242


924
927
928
929
941
942
959
968
986
995
1034
1059
1061
1068
1069
1071
1072
1078
1081
1084
1141
1148
1166
1167
1168
1169
1170
1171
1176
1177
1179
1180


1055
1056
1063
1064
1065
1066
1172
1175
1184
1295
1185
1200
1296
1303
1303¼
1339
1345


1181
1192
1193
1194
1196
1197
1199
1201
1204
1208
1210
1211
1212
1213
1214
1232
1246
1248
1249
1250
1255
1289
1299
1300
1301
1302
1304
1305
1306
1308
1311
1313
1316
1317
1321
1322
1325
1326
1327
1336
1337
1356
1357
1370

SEPARATOR CASTINGS

HARRIS 26/36½" SIDE HILL HARVESTER

Part No.	Description	Price
L	Sprocket—11 teeth, 44 chain, $\frac{27}{32}$" Bore	2 40
R	Sprocket— 6 teeth, 44 chain, $\frac{15}{16}$" Bore	1 85
R4	Box—$\frac{15}{16}$" Bore	1 25
RX	Box Cap—$\frac{15}{16}$" Bore	1 15
S	Sprocket—6 teeth, 44 chain, $\frac{27}{32}$" Bore,	2 15
U	Flanged Pulley—$\frac{9}{16}$" Bore, $\frac{11}{16}$" Pin	1 75
UU	Flanged Pulley—$\frac{9}{16}$" Bore, $\frac{11}{16}$" Pin	2 25
UUU	Flanged Pulley—$\frac{9}{16}$" Bore, $\frac{11}{16}$" Pin	1 75
24	Star Box—$\frac{27}{32}$" Bore	1 25
25	Star Box—$\frac{11}{16}$" Bore	95
75	Tightener Arm, with Pin	1 10
81	Tightener Arm, with Pin	1 10
133	Rocker Box—¾" Bore	40
194	Sprocket—11 teeth, 44 chain, $1\frac{11}{32}$" Bore	2 15
196	Sprocket—Pipe, 10 teeth, 44 chain, $1\frac{13}{32}$" Bore	2 55
199	Sprocket—Pipe, 10 teeth, 44 chain, $1\frac{11}{32}$" Bore	2 10
215	Sprocket—10 teeth, 44 chain, $\frac{27}{32}$" Bore	1 85
231	Star Box—1" Pipe Bore	1 25
254	Front Wheel Box—2" Bore	3 00
255	Cap for 254—2" Bore	2 25
258R	Beater Head—$\frac{27}{32}$" Bore, 3-wing	2 25
258L	Beater Head—$\frac{27}{32}$" Bore, 3-wing	2 25
285	Tightener Arm, with Pin	1 75
289	Fan Hub—$\frac{15}{16}$" Bore, 5-arm	2 15
310	Flanged Pulley—$\frac{27}{32}$" Bore (plain)	2 45
	Flange Pulley 310—Lagged	3 40
311R	Concave Hanger	2 85
311L	Concave Hanger	2 85
359	Cheat Screen Slide	25
360	Plate Slide for Cheat Screen	25
372	Pinion Support for Raising and Lowering Header—$1\frac{1}{16}$" Bore—Front	1 75
373	Pinion Support for Raising and Lowering Header—$1\frac{1}{16}$" Bore—Rear	1 75
384	Sprocket—10 teeth, 44 chain, $\frac{15}{16}$" Bore	2 40
438R	Bracket Box—$\frac{15}{16}$" Bore	2 25
438L	Bracket Box—$\frac{15}{16}$" Bore	2 25
439	Box Cap—$\frac{15}{16}$" Bore	85
445	Straw Carrier Flange Pulley, with $\frac{11}{16}$" Pin	2 50
447	Fan Hub—$\frac{15}{16}$" Bore, 4-arm	1 35
469	Sprocket—5 teeth, Jackson Feeder Chain, $\frac{15}{16}$" Bore	1 55
473	Shoe Casting—Right Side	1 80
474	Shoe Casting—Left Side	1 80
481	Pinion—Header Raising and Lowering Device, $1\frac{1}{16}$" Bore	3 45
482	Rack for Jacob Staff	1 75
482½	Rack—Half, Jacob Staff	1 50
488	Star Box—1" Pipe Bore	75
489R	Tightener Box for Straw Carrier—$\frac{27}{32}$" Bore	1 25
489L	Tightener Box for Straw Carrier—$\frac{27}{32}$" Bore	1 25
490	Lug for Shoe Shaker Pitman	1 00
491	End Bracket Hinge for Belt Tightener Frame	2 75
511	Sliding Box—Left Hand, $\frac{27}{32}$" Bore	1 75
512	Sliding Box—Right Hand, $\frac{27}{32}$" Bore	1 75
521	Sprocket—Ring, 15 teeth, 52 chain, 3¼" Bore	3 25
532	Rocker Casting	1 50
532B	Rocker Casting	1 50
538	Pulley—2x3", $\frac{27}{32}$" Bore	1 75
561	Shaker Casting—Cheat Screen, ¾" Rough Bore	1 00
581	Cooler Fan Box—$\frac{15}{16}$" Bore	1 15
582	Cap for 581—$\frac{15}{16}$" Bore	1 15
585	Safety Collar—$1\frac{11}{16}$" Bore	1 50
592	Solid Box—$\frac{13}{16}$" Bore	95
601	Sprocket—14 teeth, 52 chain, $1\frac{3}{16}$" Bore	3 15
643	Solid Pivot Box—$\frac{15}{16}$" Bore	1 00
647	Tightener Casting	1 00

Part No.	Description	Price
653	Concave Hanger—$\frac{57}{64}$" Bore	1 65
659Y	Sprocket—11 teeth, 62 chain, $\frac{15}{16}$" Bore	3 25
663	Auger Box End—1$\frac{11}{32}$" Bore, for 5½" Auger	1 85
680	Circle for Cylinder	1 00
709	Tightener Casting	2 60
720	Ear Box for Draw Bolt	40
730	Shoe Hanger Box—$\frac{49}{64}$" Rough, Rear End	90
737	Pulley, Idler—3x1⅞", $\frac{15}{32}$" Bore	90
739	Sprocket—15 teeth, 44 chain, 1$\frac{1}{16}$" Bore	3 25
744	Keeper for Jacob Staff	70
750	Bracket for Roller Bearing on Cylinder Shaft	5 50
776	Tightener Arm, with Pin	1 10
787	Front Concave—17 teeth	15 00
788	Center Concave—22 teeth	8 40
788B	Blank Concave	7 60
788½	Plate behind Concave	3 00
793	Cylinder Head—End, 1$\frac{11}{16}$" Bore	13 80
794	Cylinder Head—Center, 1$\frac{11}{16}$" Bore	8 90
798	Box—Roller Bearing, Cylinder Shaft, 3⅜" Bore	4 10
799	Cap for 798—3⅜" Bore	3 75
803	Collar for Roller Bearing Box—1$\frac{11}{16}$" Bore	2 05
804	Sprocket—Wrist Pin, 10 teeth, 52 chain, 1$\frac{1}{16}$" Bore	4 25
807	Front Wheel Hub—2" Bore (for 10" tire, 30" wheel)	21 00
812	Auger Box End—5½" Auger	5 00
819	Cleaner Shaker Casting—$\frac{55}{64}$" Bore	1 00
826	Sprocket—10 teeth, 62 chain, 1$\frac{1}{16}$" Bore	2 35
827	Sprocket—24 teeth, 52 chain, 1$\frac{1}{16}$" Bore (Clutch)	4 95
828	Sprocket—10 teeth, 62 chain, 1$\frac{1}{16}$" Bore (Clutch)	2 75
831	Sprocket—Face, 17 teeth, 62 chain, 1$\frac{1}{16}$" Bore	4 50
832	Sprocket—15 teeth, 52 chain, 1$\frac{1}{16}$" Bore	3 35
838	Auger Support Box—1$\frac{1}{16}$" Bore	1 00
839	Sprocket—9 teeth, 44 chain, 1$\frac{11}{32}$" Bore	2 15
853	Tightener Stand	1 55
891	Fan Hub for 30" Cooler Fan, $\frac{15}{16}$" Bore	4 25
893	Frame—Bolts to side of Sack Slide	2 35
901	Spiral Spring Tightener Casting	40
915	Settler Cup	2 90
916	Settler Cap, with Screen	1 35
924	Sheave for 893 Frame	1 50
927	Sprocket—10 teeth, 52 chain, $\frac{27}{32}$" Bore	2 25
928	Solid Box—Cylinder Belt Tightener, Left Side	1 65
929	Adjustable Box—Cylinder Belt Tightener, Right Side	1 80
941	Funnel for Cooler	2 40
942	Funnel Cap	80
959	Hub—Hand Wheel, 5-arm, 1$\frac{1}{16}$" Bore	2 75
968	Head—Hoe Down, 3-arm, $\frac{15}{16}$" Bore	4 10
986	Star Box—1" Pipe Bore, 2-wing	95
995	Pulley—3¼"x5", $\frac{15}{16}$" Bore, plain	3 05
	Pulley No. 995, Lagged	4 00
1034	Solid Box—Separator Shoe, 1" Bore	1 15
1055	Shifter Casting for Clockcase	3 25
1056	Cap for Bevel Gear—1$\frac{3}{16}$" Bore	2 50
1063	Bevel Gear—29 teeth, 1$\frac{3}{16}$" Bore	4 45
1064	Pinion—Right Hand, 14 teeth, 1$\frac{3}{16}$" Bore	3 00
1065	Pinion—Left Hand, 14 teeth, 1$\frac{3}{16}$" Bore	3 00
1066	Clutch—1$\frac{3}{16}$" Bore	3 65
1068	Adjuster Box—Inside, 1$\frac{3}{16}$" Bore	1 75
1069	Adjuster Box—Outside, 1$\frac{3}{16}$" Bore	1 75
1071	Cleaner Shaker Pin	1 10
1072	Rail Guard	2 10
1078	Balance Weight—2⅛"x3"x4", Header Countershaft	2 30
1081	Pulley—6"x8", 1$\frac{3}{16}$" Bore	12 45
1084	Balance Weight—6½"x10½"x2"	11 30
1141	Shaker Casting—Cleaner Shoe End Shake, $\frac{25}{32}$" Bore	1 25
1160	Shifting Fork—¾" Pipe	1 35
1161	Shifting Fork Hub—1" rough	1 65
1166	Box—1$\frac{1}{16}$" Bore (replaced by 1415)	1 25
1167	Cap for 1166—1$\frac{1}{16}$" Bore (replaced by 1416)	1 25
1168	Bracket for Countershaft Box Support	3 25

Part No.	Description	Price
1169	Box for Countershaft—1 11/16" Bore	1 85
1170	Cap for 1169—1 11/16" Bore	1 75
1171	Sprocket—24 teeth, 52 chain, 1 1/16" Bore	4 75
1172	Clock Case—1 9/16" and 1 3/16" Bore	29 10
1174	Reinforced Shoe Hanger Casting	95
1175	Clock Case Cover	8 50
1176	Beater Head—4-arm, 1 1/16" Bore	3 65
1177	Auger Box End—5½" Auger	3 25
1178	Main Wheel Box, Solid, 2¼" Bore	7 00
1179	Sprocket—13 teeth, 62 chain, 1 11/16" Bore	6 25
1180	Sprocket— 9 teeth, 52 chain, 1" gas pipe Bore	2 35
1181	Flanged Pulley—2½"x6", 1 1/16" Bore	3 65
1182	Sprocket—16 teeth, 62 chain, 1 1/16" Bore	4 60
1184	Worm Gear—30 teeth, 1 9/16" Bore	18 50
1185	Worm for 1184—1 9/16" Bore	18 00
1188	Box for Header Counter—1 7/16" Bore	2 00
1189	Cap for 1188—1 7/16" Bore	1 75
1192	Foot for Truss—Diagonal Brace side of Feed House	95
1193	Split Collar—2¼" Bore	3 60
1194	Hanger Box—11/16" Bore	1 00
1196	Sprocket—24 teeth, 62 chain, 1 7/16" Bore	8 05
1197	Quadrant for Cleaner—¾" Rough Bore	1 65
1199	Sprocket—11 teeth, 62 chain, 1 11/16" Bore	3 85
1200	Flange Pinion—14 teeth, 1 9/16" Bore	10 50
1201	Lever Arm and Tightener—1 7/16" Bore	4 45
1203	Cup for Header Coupling	6 10
1204	Sprocket—Wrist Pin, 12 teeth, 62 chain, 15/16" Bore	4 05
1208	Bevel Collar for Belt Tightener—1 3/16" Bore, 1⅛" Diameter	75
1210	Fan Hub 22" Radiator Fan—15/16" Bore (used prior to 1921)	2 75
1211	Shaker Casting	1 15
1212	Lever Arm Tightener—1 7/16" Bore	5 40
1213	Sprocket—Bell, 20 teeth, 62 chain, 1 11/16" Bore	6 50
1214	Sprocket—15 teeth, 62 chain, 1 1/16" Bore	3 85
1216	Pump Spiral—15/16" Bore	14 75
1217	Pump Runner—15/16" Bore	3 45
1218	Pump Gland—15/16" Bore	1 25
1219	Pump Cover	3 40
1220	Stand Box—15/16" Bore	2 90
1221	Stand Box Cap for 1220—15/16" Bore	1 35
1232	Sprocket—9 teeth, Jackson Feeder Chain, 27/32" Bore	2 85
1242	Pulley—2¾"x6¾", 15/16" Bore	5 95
1246	Sprocket—9 teeth, 52 chain, 1 1/16" Bore	2 60
1248	Collar—1 7/16" Bore	1 65
1249	Star Box—11/16" Bore	1 35
1250	Flange Pulley—1½"x1¾" (same as UUU, except longer pin)	1 75
1255	Sprocket—8 teeth, 52 chain, 15/16" Bore	1 95
1286	Collar—2" diameter, 1" thick, 1 3/16" Bore	60
1287	Main Wheel Hub—2¼" Bore, for ⅞" Spoke	74 25
1289	Header Counter Plate (takes place of 1044)	7 80
1295	Rack—Upper	10 25
1296	Rack—Lower	11 20
1299	Box—4⅞" Long, 15/16" Bore	2 25
1300	Box Cap—4⅞" Long, 15/16" Bore	1 05
1301	Box—4⅞" Long, 1 1/16" Bore	1 30
1302	Cap for 1301—1 1/16" Bore	1 05
1303	Rollers for Racks (Standard)—3¼" Diameter	1 60
1303¼	Rollers for Racks (Oversize)—3½" Diameter	1 85
1304	Collar—3"x1¼" Flanged (for 1301-2)	80
1305	Collar—2⅛"x¼" thick, 1 3/16" Bore	25
1306	Balls for Turntable—1 15/16" Diameter	40
1308	Hinge Pin for 1059 or 1431	25
1311	Collar—1 3/16" Bore, for Jack Tightener	85
1314	Push Brace Casting	6 65
1316	Sprocket—11 teeth, 52 chain, 1 1/16" Bore	2 75
1317	Tightener on Leveling Device	1 95
1321	Collar—1" Pipe Bore	75
1322	Trip Casting for Rack	1 60
1326	Finger Lift	25
1327	Door Stop	25

Part No.	Description	Price
1336	Double Flanged Pulley, 5/8" Bore (takes all size chain)	1 95
1337	Pulley—2¾"x5¾", 1 5/16" Bore	4 05
1339	Clock Case Cover—for No. 1172	4 75
1345	Ratchet Casting for Safety Device on Clockcase—1 3/16" Bore	2 65
1346	Collar—for Jackson Feeder Drive Shaft, 1 5/16" Bore	95
1356	Pulley—3"x7½", 1 5/16" Bore	3 85
1357	Pulley—3"x7½", 1 1/16" Bore (lagged)	5 75
1386	Cage for Roller Bearing—6" Bearing, 1 11/16" Bore (bronze)	1 60
1415	Box—1 1/16" Bore (replaces 1166)	1 10
1416	Cap—1 1/16" Bore (for 1415)	75
1427	Feed House Corner Brace	2 65
1430	Thimble for Cleaner Hanger—25/32" Bore	35
1431	Distributor Hanger (replaces 1059)	55
1454	Cylinder Pulley for Jack Drive 6"x8", 1 11/16" Bore, Lagged (replaces 1313)	12 50
1530	Hinge Clip for Rack	3 10
1532	Hinge Clip for Rack—Offset	4 25
1534	Hinge Clip for Rack—Overhang	4 00
1561	Bearing Seat for Separator Fan	2 00

SHAFTINGS FOR HARRIS 26/36½" SIDE HILL HARVESTER

Description	Price
Beaters, First—1 1/16"x3' 9½"	4 90
Beaters, Second—1 1/16"x4' 6⅜"	5 95
Beaters, Third—1 1/16"x4' 3⅜"	5 90
Beaters, Fourth—27/32"x3' 8½"	2 20
Carrier, Grain Shaft (Lower End), 27/32"x3' 5"	2 00
Carrier, Grain Shaft (Upper End), 1 1/16"x4' 2¾"	5 30
Carrier, Straw Shaft, 27/32"x4' 1"	2 65
Cooler, Shaft, 1 5/16"x4'	4 15
Counter, Feeder, 1 7/16"x4' 3¼"	5 20
Counter, Header, 1 7/16"x3' 4¼"	6 35
Cylinder Shaft, 1 11/16"x5' 2"	14 35
Elevator, Grain (Upper End), 1" Pipe x 1' 8"	95
Elevator, Grain (Upper End), 27/32"x1' 1"	65
Elevator, Cheat (Upper End), 27/32"x10"	90
Elevator, Return (Upper End), 1" Pipe x 1' 1"	65
Equalizing Main Cross Shaft for Rack and Pinions, 1 7/16"x9' 10¼"	15 20
Extension Straw Carrier Shaft, 27/32"x3' 8½"	2 20
Fan, Cleaner Shaft, 1 5/16"x3' 9⅜"	3 10
Fan, Separator Shaft, 1 5/16"x3' 8"	3 05
Fan, Shoe Shaft, 1 5/16"x3' 10"	3 15
Fan, Straw Carrier Shaft, 1 5/16"x4' 1"	3 40
Feeder Shaft (Lower End), 27/32"x2' 9⅞"	2 30
Feeder Shaft (Upper End), 1 5/16"x4'	3 30
Hoe Down Shaft, 1 5/16"x3' 4½"	2 85
Jack Shaft, 1 11/16"x4' 10½"	10 10
Picker, Octagon Shaft, 27/32"x3' 9¼"	2 60
Picker, V Shaft, 27/32"x3' 9¼"	2 60
Pump Shaft, 1 5/16"x24"	3 50
Shoe Rock Shaft	4 00
Tightener Shaft, on Jack Shaft Belt, 1 7/16"x3' 4⅜"	6 05
Tightener Shaft, Cylinder Belt, 1 3/16"x13"	2 25
Wheel Grain Shaft, 2¼"x2' 6¾" (threaded on end)	11 65
Wheel Main Shaft, 2¼"x2' 6¾" (threaded on end)	11 65
Wheel Front Shaft, 2"x17¼"	4 65
Worm Shaft, 1 3/16"x14¼"	2 50
Worm Counter Shaft, 1 3/16"x21"	4 10

MISCELLANEOUS PARTS FOR HARRIS 26/36½" SIDE HILL SEPARATORS

AUGERS

Name	Flights	Length Over All	Length of Flights	Size Pipe	Price
Cheat	4" R. H.	4' 6⅞"	3' 5⅜"	¾"	9 85
Cleaner Distributing	5½" R. H.	5' 9⅛"	4' 2⅝"	1"	14 15
Cleaner Grain	5½" L. H.	4' 4¼"	3' 2"	1"	11 45
Cleaner Return	4" R. H.	5' 1"	4'	¾"	11 20
Feed House	5½" R. H.	3' 9¼"	2' 11¾"	1"	10 60
Grain	5½" L. H.	5' 2¼"	3' 11¾"	1"	11 60
Shoe Return	5½" L. H.	5' 1¼"	3' 7⅝"	1"	10 80

Auger Box—Cleaner Grain (less castings)	9 75
Auger Box—Cleaner Return (less castings)	7 95
Auger Box—Distributing (less castings)	13 50
Auger Box—Feed House (less castings)	9 50
Auger Box—Main Grain (less castings)	11 25
Auger Box—Shoe Return (less castings)	11 20
Auger Flights—4", each	15
Auger Flights—5½", each	30
Auger Flights—4", Continuous, per foot	75
Auger Flights—5½", Continuous, per foot	90
Auger Posts, each	25
Babbitt—"Harris Harvester"	(Write for Prices)
Babbitt—"Special Armature"	(Write for Prices)
Bale for Schandoney Hitch	4 40
Bands—Brake for Main Wheel, 6"	11 65
Bands—Brake for Main Wheel, 8"	14 50
Band Cutter—Complete for 40" Spout	75 00
Bars—Cylinder, ⅝"x1¾"x26", punched, each	2 15
Bearings—Cylinder Roller, 1 11/16", complete with castings, per pair	27 65
Bearings—Cylinder Roller, ¾"x5½", C. R. (No. 11556), each	30
Bearings—Cylinder Roller, ¾"x6" C. R. (No. 11557), each	30
Bearings—Cylinder Roller, Steel Case for 1 11/16" (No. 11558), each	3 75
Beater—Three-wing, 35½", less shaft	12 50
Beater—Four-wing, 35½", less shaft	15 25
Blades—Beater, 1"x2¾"x35½" Plain, each	75
Blades—Beater, 1"x2¾"x35½", Spiked, each	95
Blades—Cleaner Fan, ½"x5½"x33½", each	45
Blades—Radiator Fan, each	90
Blades—Separator Fan, ½"x7½"x33½", each	50
Blades—Shoe Fan, ½"x4"x33½", each	30
Blades—Straw Carrier Fan, ½"x4"x33½", each	30
Belting—Leather	(Write for Prices)
Belting—Rubber	(Write for Prices)
Belting—Link	(See Page 30)
Bolt—Draw, for Elevator Tightener Box	55
Boxes—Maple, Upper End Feeder, 2½"x4⅞"x9¾"	1 65
Boxes—Maple, Lower End Feeder, 2¼"x3¾"x3⅛"	65
Boxes—Maple, Hoe Down, 2¼"x2¾"x4"	60
Boxes—Maple, Lower End Grain Carrier, 2¼"x2⅛"x3⅛"	60
Boxes—Maple, Cleaner Shoe, 2"x1¼"x4"	50
Boxes—Maple, Rocker Shaft, Double Shoe, 1¾"x3"x4⅜"	60
Boxes—Maple, Separator Leveling Device, 3¾"x8"x5⅝"	1 65
Boxes—Maple, Separator Shoe Pitman, 1¾"x3"x4⅜" (front)	60
Boxes—Maple, Separator Shoe Pitman, 1 15/16"x3"x4⅜" (rear)	60
Boxes—Maple, Grain and Return Elevators, 2"x2"x12"	1 75
Boxes—Maple, Header Spout, 1¼"x2¼"x17" (old style)	95
Bluff Tins—1 Pc. Sheet Iron 6½"x15"	25
Brake—Front Wheel Complete, with block	33 50
Brake—Band for Front Wheel, each	5 20
Buckets—Elevator, 4"x6", each	75
Buckets—Elevator, 4"x6", with attachment and two links, each	95
Bushings—Babbitt, for 1" Circulating Pump, 1 7/16"x2⅜"x 15/16" Bore	1 75
Cells—Grain Carrier, 35¾"	35
Cell Ends—Grain Carrier, each	05

Description	Price
Chaff Pilers—Complete for attaching	49 50
Chain—Malleable	(See Page 30)
Circle for Header Raising Wheel	2 00
Clamps—Belt, Complete	4 25
Clock, Complete with Shafts, Pinions, Castings, etc.	216 00
Concave Teeth—Bar	30
Concave Teeth—Band	30
Connecting Rod for Jacob Staff—¾"x4'	1 85
Coolers—24" Tubular (Used to 1921)	85 00
Coolers—30" Tubular (Used 1921)	95 00
Cups—Grease, No. 1, ¼"	30
Cups—Grease, No. 2, ⅜"	35
Cylinders—10-Bar, 26", Complete with Shaft, Bearings and Castings	210 00
Cylinder Teeth—Bar	30
Cylinder Teeth—Band	30
Cylinder Teeth—Ear	30
Drag Blocks—Return Elevator, ⅞"x1¼"x6½" Hardwood, with attachment	35
Drum—Grain Carrier, 5"x31"	3 50
Elevators—Grain (wood only), each	33 25
Elevators—Grain, Complete with Sprockets, Cups, Boxes, Chain, etc.	94 75
Elevators—Return (wood only), each	24 50
Elevators—Return, Complete with Sprockets, Blocks, Boxes, Chain, etc.	84 00
Elevators—Sacking (wood only), each	25 00
Elevators—Sacking, Complete with Sprockets, Blocks, Boxes, Chain, etc.	87 50
Fan—for 24" Radiator, with Shaft	10 75
Fan—for 30" Radiator, with Shaft	11 95
Fan Spokes—Cleaner Fan, ⅞"x1⅝"x10½" Oak	50
Fan Spokes—Separator Fan, ⅞"x1⅝"x11" Oak	50
Fan Spokes—Straw Carrier Fan (double), ⅞"x1⅝"x12½" Oak	55
Finger Boards for Shoes	3 25
Fire Extinguishers	(Write for Prices)
Frames—Screen, 35¾"x28" (wood only)	2 55
Frames—Screen, 35¾"x38" (wood only)	2 75
Frames—Swing, Sack Sewers Side, Complete	87 50
Frames—Swing, Header Side, Complete	87 50
Gate—Sack Chute End, Complete with Irons and Bracket	3 00
Grousers—⅜"x2"x2"x16½" (bent and drilled), each	2 30
Guides—Swing Frame	8 75
Hoe Down—Gas Pipe, 26", less Shaft	16 50
Hood—Automatic Distributor, Complete	3 00
Iron—to hold Chaff Piler (¼"x1¼"x28")	85
Iron—Cleaner Shoe Hanger, with Casting No. 1174	1 75
Iron—Black Sheet, per pound	(Write for Prices)
Iron—Galvanized Sheet, per pound	(Write for Prices)
Iron—Pull Tongue	11 75
Iron—Adjusting, for Concave Raising and Lowering Rod	2 65
Jacob Staff—Wood Only	3 20
Jacob Staff—Wood and Racks	7 25
Jacob Staff—Slide or Post (including Keepers)	13 50
Jacob Staff—Complete	32 50
Lace Leather, Sides, per square foot	1 50
Lace Leather, ⅜" Cut, per 100 feet	3 75
Lace Leather, ½" Cut, per 100 feet	5 50
Lace Leather, ⅝" Cut, per 100 feet	6 50
Lever—Sack Chute Dump, upper end	2 25
Nails—Clout and Wire, per pound	(Write for Prices)
Oil—Castor Machine	(Write for Prices)
Oil—Cylinder	(Write for Prices)
Oil Cans—Pump, No. 2 Cannon	1 75
Oil Cans—Pump, No. 3 Cannon	2 10
Oil Cans—Copper, Engine (Long Spout)	85
Oil Cans—Copper, Engine (Short Spout)	65
Oil Cans—Zinc, Priming	65
Pickers—Octagon, 36½", with Shaft	10 75
Pickers—V, 36½", with Shaft	12 50
Pins for U	25

Description	Price
Pins for UU	25
Pins for 75	35
Pins for No. 285	35
Pins for No. 445	25
Pins for No. 709	40
Pins for No. 776	25
Pins for No. 853	35
Pins for No. 1212	65
Pins for No. 1250	35
Pins for No. 1317	25
Pins—Pull Tongue	2 75
Pitman—Cleaner, 21" Center to Center, 1 pc. 1¼"x1½"x21" Maple, 2 Maple Boxes 1¼"x1½"x3½", 1" Bore, 2 Rods ⅜"x25½"	3 25
Pitman—Cheat Screen, 44" Center to Center, 1 Rod ½"x42", 2 No. 819 (Used to 1919)	3 75
Pitman—Cheat Screen, 33" Center to Center, 1 Rod ½"x31", 2 No. 819 (Used after 1919)	3 75
Pitman—Separator Shoe, 6' 1⅛" Center to Center, 1 pc. Oregon Pine 1⅜"x2"x 5' 10⅛", 4 ⅜"x14" Strap Bolts, 1 Maple Box 1¼"x3"x4½", 1" Bore, 1 Maple Box 1¾"x3"x4½", 1" Bore	4 75
Pitman—Separator Shoe, 6' 3½" Center to Center, 1 pc. 1⅜"x2"x6' ½" Oregon Pine, 4 ⅜"x14" Strap Bolts, 1 Maple Box 1¼"x3"x4½", 1" Bore, 1 Maple Box 1¾"x3"x4½", 1" Bore	4 75
Plates—for Pinions on Leveling Device	2 50
Platform—Chaff Piler	11 25
Platform—Jackson Feeder	15 50
Platform—Straw Carrier	9 75
Platform—Straw Dump	35 00
Poles—Short (wood only)	3 75
Poles—Long (wood only)	8 50
Poles—Short, Ironed	26 50
Poles—Long, Ironed	24 50
Pulley—Cylinder Shaft, 8" Face, 12" Diameter, 1 11/16" Bore, Medart (lagged)	18 00
Pulley—Belt Tightener, 8½" Face, 12" Diameter, 1 3/16" Bore, Medart	17 50
Pulley—Jack Shaft, 6" Face, 34" Diameter, 1 11/16" Bore, Medart (lagged)	47 75
Pump—1" Circulating, Complete	42 50
Racks for Leveling Device, Complete, each	43 00
Rivets—⅝" No. 8 Coppered Iron, per pound	(Write for Prices)
Rivets—⅞" No. 8 Coppered Iron, per pound	(Write for Prices)
Rivets—Elevator Cup, per pound	(Write for Prices)
Rivets—Jackson Feeder with Burrs, per pound	(Write for Prices)
Rivets—Straw Carrier with Burrs, per pound	(Write for Prices)
Rivets—Round Head, 1⅛" No. 6, per pound	(Write for Prices)
Rivets—Section, per pound	(Write for Prices)
Rod—Concave Raising and Lowering	3 00
Rod—Sack Chute, 7/16"x15' (to operate end gate)	1 95
Runs—Jackson Feeder, ⅞"x2⅝"x5' 2" Maple	1 50
Runs—Straw Carrier Platform, ½"x2¾"x7' 6" Maple	2 05
Sack Chute, Complete	67 25
Sack Holders—Square	5 00
Sack Holders—New Style	6 75
Sack Hopper, Complete with Sack Hooks	30 00
Screens—35¾"x28", Cleaner Wheat, ¼" Mesh	4 90
Screens—35¾"x28", Cleaner Barley, ½" Mesh	4 90
Screens—35¾"x28", Separator Wheat and Barley, ¾" Mesh	5 60
Screens—35¾"x38", Cleaner Wheat, 5/16" Mesh	4 50
Screens—35¾"x38", Cleaner Barley, ⅝" Mesh	5 50
Screens—35¾"x38", Separator Wheat, ½" Mesh	5 90
Screens—35¾"x38", Separator Barley, 1" Mesh	7 50
Screen Wire—Galvanized to ½" Mesh, per square foot	20
Screen Wire—Galvanized, ½" to 1½" Mesh, per square foot	30
Screen Wire—Cheat, per square foot	40
Screen Plate—"No Choke," 18"x60", per sheet	6 00
Screen Plate—Perforated Zinc	(Write for Prices)
Screen Wire—Spark Arrester, per square foot	40
Seat—Driver's	3 50
Seat and Ladder—Driver's	22 50
Seat—Sack Sewer's	3 50
Settlers—Gasoline (915-16), each	7 50

Description	Price
Shoe—Cleaner, Wheat and Barley, Complete	24 10
Shoe—Separator, Wheat, Complete	35 00
Shoe—Separator, Barley, Complete	35 00
Shoe Hanger Rods—Cleaner Shoe, ¾"x43"	1 40
Shoe Hanger Irons—Separator Shoe, ¼"x1¼"x14¼"	95
Shoe Rails—1¼"x1½"x5′ 7" Hickory	1 50
Slides—Elevator, Grain, ½"x2⅝"x8′ 7" Maple	2 25
Slides—Elevator, Sacking, ½"x2⅝"x7′ Maple	1 85
Slides—Elevator, Return, 1"x2 1/16"x13′ 6" Oregon Pine	1 95
Spokes—30" Front Wheel, ¾"x12½", with Nuts, each	75
Spokes—5′ 4" Main Wheel, 1"x24½" Straight, with Nuts, each	1 20
Spokes—5′ 4" Main Wheel, 1"x27" Bevel, with Nuts, each	1 25
Spokes—Header Raising Wheel	90
Spools—Tightener, for 52 Chain, each	95
Spools—Tightener, for 62 Chain, each	1 00
Spools—Tightener, for 075 to 101 Chain, each	1 35
Spools—Tightener, for 103 to 115 Chain, each	1 35
Spring—Safety Device Clock	1 45
Spring—Front Wheel	2 25
Sticks—Draper, 40", each	10
Sticks—Jackson Feeder, 25⅞", each	15
Sticks—Straw Carrier, Square, 35¾", each	10
Sticks—Straw Carrier, V shape, 35¾", each	20
Sticks—Chaff Piler, 31¼", each	15
Sticks—Grain Carrier Cells, 35¾", each	(See "Cells")
Straighteners—Cylinder Tooth	2 75
Straw Board	5 25
Straw Carrier—Extension, Complete for attaching	25 00
Tacks—Double Pointed Nos. 9 and 12, per pound	(Write for Prices)
Tacks—No. 4 for Grain Carrier	(Write for Prices)
Tanks—Gas	25 00
Teeth—Cylinder and Concave	30
Tightener—8" Cylinder Belt, Complete	37 75
Tightener—6" Jack Belt, Complete	28 50
Tool Boxes, each	7 45
Turntable—Front Wheel (ball-bearing), less Wheel and Shaft	140 00
Turntable—Front Wheel (ball-bearing), complete with Wheel, Shaft and Box	235 00
Wheel—Front, 30"x10" Tire, with Rims	85 00
Wheel—Main, 5′ 4"x16" Tire, with Rims	252 00
Wheel—Header, 5′x10" Tire, plain	84 25
Wheel—Header Truck, 32"x4" Tire	43 25
Wheel—Header Truck, 32"x6" Tire	48 25
Wrenches—Cylinder	4 00
Wrenches—Set Screw	60

CARRIERS

Description	Price
Carriers—Grain, 35¾"x18′ 9"	84 25
Carriers—Chain Straw, 35¾"x19′ 6"	52 50
Carriers—Chain Extension Straw, 31¼"x9′ 0"	17 10
Carriers—Chaff Piler, 31¼"x9′ 0"	17 10
Carriers—Jackson Feeder, 25⅞"x11′ 6"	14 00


H
L
LP
LPP
LT
48S
49S
205
81
153C
206
286
310
315
368
398
420
486
487
492
599
563
581
582
601
605
626
676
677
673
674
675
675C
727
761
762
768½
769½
770
771
774


775
848
853
858
867
879
880
892
908
948
949
950
956
974
975
976
977
1014
1004
1086
1288
1311
1315
1336



203



1429

8 SPECIAL
HARRIS GUARDS



260



811

TM

BM
HAMPTON
GUARD

627

1120

1122



1398

1340

1352

1413

CASTINGS FOR ANGLE HEADER ON HARRIS 26/36½" SIDE HILL HARVESTER

Part No.	Description	Price
H	Sprocket—14 teeth, 44 chain, $\frac{27}{32}$" Bore	2 75
L	Sprocket—11 teeth, 44 chain, $\frac{27}{32}$" Bore	2 40
LP	Sprocket—Clutch, 7 teeth, 44 chain, $1\frac{3}{16}$" Bore	1 95
LPP	Sprocket—Clutch, 8 teeth, 44 chain, $1\frac{3}{16}$" Bore	2 10
LT	Clutch—$1\frac{3}{16}$" Bore (for LP and LPP)	2 15
48S	Cap for Header Box—$1\frac{3}{16}$" Bore	1 50
49S	Header Box—$1\frac{3}{16}$" Bore	1 65
81	Tightener Casting, with Pin	1 10
153C	Plate for Ritchie Roller	50
203	Header Weight—Large	27 50
205	Pitman Box—Outer End for Sickle Pitman, 1" Bore	85
206	Pitman Box—Inner End for Sickle Pitman, 1" Bore	60
286	Tightener Arm, with Pin	1 60
310	Flanged Pulley—$\frac{27}{32}$" Bore, plain	2 45
	Flange Pulley No. 310—Lagged	3 40
315	Sprocket—34 teeth, 44 chain, $1\frac{3}{16}$" Bore	10 45
368	Angle Brace Washer	60
420	Sickle Cap	30
486	End Reel Hub—1" Pipe Bore	2 35
487	Center Reel Hub—1" Pipe Bore	2 10
492	Reel Shaft Box—1¼" Pipe Bore	1 75
563	Header Axle Casting—2¼" Bore	2 50
581	Box—$\frac{15}{16}$" Bore	1 15
582	Cap for Box 581—$\frac{15}{16}$" Bore	1 15
599	Sickle Head, with Wrist Pin	2 50
601	Sprocket—14 teeth, 52 chain, $1\frac{3}{16}$" Bore	3 15
605	Sprocket—12 teeth, 62 chain, $1\frac{3}{16}$" Bore	2 85
622	Header Truck Wheel—2-Bolt, 32" Diameter	34 90
626	Header Drum Flange—⅞" Bore	1 75
627	Box for Header Truck Wheel—$1\frac{11}{16}$" Bore, 2-bolt	3 15
673	Box for Sickle Drive—$1\frac{3}{16}$" Bore, babbitted	2 25
674	Cap for Box 673—$1\frac{3}{16}$" Bore, babbitted	1 75
675	Box for End of Sickle Bar	2 75
676	Upper Keeper	25
677	Lower Keeper	25
727	Draw Bolt Casting for Ritchie Roller	50
761	Sprocket—Clutch, 18 teeth, 52 chain, $1\frac{3}{16}$" Bore	4 85
762	Clutch for 761—$1\frac{3}{16}$" Bore	2 25
768	Clutch for Pipe—$1\frac{15}{16}$" Bore	1 30
768½	Clutch for Reel Hub—1¼" Pipe Bore	1 70
769½	Reel Hub—1¼" Pipe Bore	3 85
770	Sprocket—18 teeth, 52 chain, $1\frac{3}{16}$" Bore	4 05
771	Sprocket—15 teeth, 62 chain, $1\frac{3}{16}$" Bore	4 00
774	Header Knuckle Gear—$1\frac{3}{16}$" Bore	3 25
775	Sickle Disc—6" Throw, $1\frac{3}{16}$" Bore	3 75
811	Header Wheel Hub—2" Bore	21 15
848	Sprocket—29 teeth, 62 chain, $1\frac{11}{16}$" Bore	8 60
853	Tightener Stand, with Pin	1 55
858	Balance Wheel for Sickle Drive—$1\frac{3}{16}$" Bore	26 50
879	Header Lever Hinge	3 75
880	Header Lever Hinge	4 60
892	Bracket for Balance Lever	1 60
908	Stop for Reel Arm	75
948	Header Clutch Box—$1\frac{3}{16}$" Bore	1 50
949	Cap for 948—$1\frac{3}{16}$" Bore	1 75
950	Header Clutch Lever	2 15
974	Mitre Gear for Gear Block—20 teeth, $1\frac{3}{16}$" Bore	5 50
976	Cap for Gear Block No. 1014—$1\frac{3}{16}$" Bore	1 35
977	Cap for Gear Block No. 1014—$1\frac{3}{16}$" Bore	1 35
1004	Safety Collar—1¼" Pipe Bore	1 00
1014	Gear Block for Angle Header—$1\frac{3}{16}$" Bore	28 50
1086	Thimble—⅝" Rough	65
1120	Box for Header Truck Wheel—2" Bore, 2-bolt	2 85
1122	Clip for Header Truck Axle—2" Rough Iron	1 70
1288	Eye Plate for Header Push Beam	5 60

Part No.	Description	Price
1311	Safety Collar—2¾", 1 3/16" Bore	85
1315	Axle Clip for 2" Shaft	3 60
1336	Double-Flanged Idler Pulley, ⅝" Bore (takes all size chain)	1 95
1340	Clip for Header Truck Axle—1⅝" Bore	1 90
1341	Chaffing Plate	35
1352	Truck Wheel Box—2" Shaft	3 00
1398	Header Truck Wheel—4-bolt, 4"x32"	43 25
1413	Box for Header Truck Wheel No. 1398—1⅝" Bore, 4-bolt	3 70
1429	Header Weight—Small	10 50

SHAFTING FOR ANGLE HEADER ON HARRIS 26/36½" SIDE HILL HARVESTER

Description	Price
Box—No. 1014 Angle Header, 1 3/16"x1' 1⅜"	2 00
Box—No. 1014 Angle Header, 1 3/16"x1' 8⅝"	2 80
Box—No. 1014 Angle Header, 1 3/16"x2' 1"	3 30
Reel Counter, 1 3/16"x2' ½"	3 70
Header Reel—14-foot Header, 1" Pipe x 15' 7⅞"	11 75
Header Reel—16-foot Header, 1" Pipe x 17' 7¾"	13 00
Header Reel—18-foot Header, 1" Pipe x 19' 8½"	13 65
Sickle Shaft—Harris Bar, 1 3/16"x4' 10½"	6 30
Sickle Shaft—Hampton Bar, 1 3/16"x4' 11¾"	6 45
Wheel Shaft—Header Wheel, 2"x2' 5½"	8 60

MISCELLANEOUS PARTS FOR ANGLE HEADERS ON HARRIS 26/36½" SIDE HILL HARVESTERS

Description	Price
Balance Lever—14-ft. Header, 4"x8", 16' Finished (Outside)	13 50
Balance Lever—14-ft. Header, 4"x8", 18' Finished (Inside)	15 00
Balance Lever—16-ft. Header, 4"x8", 18' Finished (Outside)	15 00
Balance Lever—16-ft. Header, 4"x8", 20' Finished (Inside)	16 50
Balance Lever—18-ft. Header, 4"x8", 20' Finished (Outside)	16 50
Balance Lever—18-ft. Header, 4"x8", 22' Finished (Inside)	18 25
Bearings—Ritchie Roller, ⅜"x6" C. R., each	15
Boards—Header Floor, ⅝"x10", per foot	20
Bolt—Tightener, for Ritchie Roller	30
Bracket—Outer End of Header Wheel Shaft	2 95
Buckles—1½" Draper, each	15
Buckles—2" Draper, each	20
Buckles—2½" Draper, each	25
Buttons—Draper, per 100	1 65
Casing for 40" Ritchie Roller	3 50
Clips—Protection, each	03
Divide Boards, each	1 00
Draper Runs—Angle Iron, 14' Header, ⅛"x2"x2"x14' 4"	5 60
Draper Runs—Angle Iron, 16' Header, ⅛"x2"x2"x16' 4"	6 25
Draper Runs—Angle Iron, 18' Header, ⅛"x2"x2"x18' 4"	6 90
Draper Runs—Angle Iron, for Spout, ⅛"x2"x2"x6' 5", 7' 10" Spout	3 10
Draper Runs—Maple, for Spout, Top Draper, 4' 6½", 7' 10" Spout	1 35
Draper Drums—8" Diameter, 40" Covered, complete with Shaft	18 50
Duck	(Write for Prices)
Frames—"A", Complete, 14-ft. Header	58 50
Frames—"A", Complete, 16-ft. Header	60 00
Frames—"A", Complete, 18-ft. Header	63 00
Gear Block—No. 1014 Angle, Complete	95 00
Guards—No. 8 Harris	25
Guards—"Harris Special"	50
Guards—Hampton, T. M.	55
Guards—Hampton, B. M.	65
Header Raising and Lowering Arm—1 pc. Oregon Pine 2"x3"x3' 8¾", 1 pc. Oregon Pine 2"x3"x3' 3"	1 50

Part No.	Description	Price
	Header Goose Neck Couplings	7 20
	Header Truck—Rear	148 00
	Header Truck Axles—Rear, each	4 50
	Hinges—Header Spout (front and rear), each	1 15
	Iron for Push Beam—Single	2 55
	Iron for Push Beam—Double	2 85
	Iron for Reel Raising and Lowering Arm—Lower End	2 25
	Leader Arms—2⅝"x3⅝"x8' Oregon Pine	1 75
	Nose Irons for Leader Arms (When order, specify type of bar and whether angle or straight)	2 50
	Pitman—Sickle, 25½" Center to Center, 1 pc. Maple 1¼"x2¼"x25½", 1 No. 205, 1 No. 206, 1 U-Bolt ¼"x29½", Complete	3 50
	Pitman—Sickle (wood only)	1 15
	Platform—Draper, 40"x14' Header	20 50
	Platform—Draper, 40"x16' Header	21 50
	Platform—Draper, 40"x18' Header	22 50
	Platform—Extension Draper, 40"x4' Header	6 50
	Reel Arms—1¾"x7½"x8' 10½" Oregon Pine	4 00
	Reel Rods—16' Header, 7/16"x8' 6"	1 45
	Reel Rods—18' Header, 7/16"x6' 6"	1 40
	Reel Slats, per foot	06
	Reel Spokes—1⅛"x1⅛"x30" Oregon Pine	25
	Reel Spokes—1⅛"x1⅛"x30" Hardwood	70
	Reel Spoke Brace Irons, each	25
	Rivets—Draper (for sticks) ⅞" No. 8 Coppered Iron, per pound	(Write for Prices)
	Rivets—Draper (for buttons) ⅝" No. 8 Coppered Iron, per pound	(Write for Prices)
	Rivets—Section, per pound	(Write for Prices)
	Rod—Pitman, 5/16"x57"	75
	Rollers—Ball-Bearing Draper, for Spout Rod	4 25
	Rollers—Maple Draper, for Spout Rod	75
	Rollers—Draper, "Ritchie," 40", each	21 50
	Rollers—Draper, Wood, 40", each	4 75
	Screws—Cap, for Sickle Head	05
	Sickles—Harris, per foot	1 45
	Sickles—Hampton, per foot	1 75
	Sickle Bar—Harris, No. 8 Guards, per foot, less sickle	3 85
	Sickle Bar—Harris Steel, "Harris Special" Guards, per foot, less sickle	9 00
	Sickle Bar—Hampton, per foot, less sickle	11 75
	Sickle Sections, per 100	16 00
	Slide Plate for Hampton Bar	55
	Spokes—¾"x27", for 60" Header Wheel	1 25
	Spout—Header, Double Draper, 40"x7' 10", less Drapers	67 50
	Spout Rods—⅝"x44", with Maple Spools	2 65
	Spout Runs—7' 10" Spout, ½"x2¾"x7' 2" Run	1 85
	Spring—Draper (bolts to screen) 1 pc. Maple 1"x2¼"x18", 1 pc. Spring Steel ⅛"x1½"x24"	1 50
	Spring—Draper (bolts to sickle bar) 1 pc. Steel ⅛"x5½"x8", 1 pc. Spring Steel ⅛"x1½"x10"	1 50
	Spring—Draper Stop, for No. 950	85
	Springs—Reel Arm Balance, each	4 75
	Springs—Sickle Connection, each	50
	Sticks—Draper, 40", each	10
	Tightener—Double, wood frame and spools for 072 chain	5 90

WOOD FOR SICKLE BARS

Description	Price
Harris 14-foot Bar—1⅜"x2½"x16' Maple	6 25
Harris 16-foot Bar—1⅜"x2½"x18' Maple	7 50
Harris 18-foot Bar—1⅜"x2½"x20' Maple	8 75
Hampton 14-foot Bar—2"x4"x17' 6" Oregon Pine	4 20
Hampton 16-foot Bar—2"x4"x19' 6" Oregon Pine	4 85
Hampton 18-foot Bar—2"x4"x21' 6" Oregon Pine	5 00

DRAPER PRICES

36-inch Drapers

	Two-Belt Drapers 2 - 2″ Belts			Three-Belt Drapers 2 - 2″ Belts 1 - 1½″ Belt		
	Stand.	S. Lap	Special	Stand.	S. Lap	Special
38 ft.	83.00	93.50	102.25	92.75	104.75	117.50
40 ft.	87.25	98.25	107.50	97.50	110.25	123.50
42 ft.	91.25	103.00	112.75	102.25	115.50	129.75
44 ft.	95.50	107.75	117.75	107.00	121.00	135.75
46 ft.	99.75	112.50	123.00	111.75	126.50	141.75
48 ft.	104.00	117.25	128.25	116.75	131.75	147.75
50 ft.	108.25	122.00	133.50	121.50	137.25	153.75
52 ft.	112.50	126.75	138.50	126.25	142.50	160.00
54 ft.	116.50	131.50	143.75	131.00	148.00	166.00
56 ft.	120.75	136.25	149.00	135.75	153.25	172.00
58 ft.	125.00	141.00	154.25	140.50	158.75	178.00
60 ft.	129.25	145.75	159.25	145.25	164.00	184.00
62 ft.	133.50	150.50	164.50	150.00	169.50	190.00
64 ft.	137.75	155.25	169.75	154.75	174.75	196.00
66 ft.	142.00	160.00	174.75	159.50	180.25	202.25
68 ft.	146.00	164.75	180.00	164.25	185.75	208.25
70 ft.	150.25	169.50	185.25	169.00	191.00	214.25
72 ft.	154.50	174.25	190.50	173.75	196.50	220.25
74 ft.	158.75	179.00	195.50	178.50	201.75	226.25
76 ft.	163.00	183.75	200.75	183.50	207.25	232.25
78 ft.	167.25	188.50	206.00	188.25	212.50	238.50
80 ft.	171.50	193.25	211.25	193.00	218.00	244.50

40-inch Drapers

	Two-Belt Drapers 2 - 2″ Belts			Three-Belt Drapers 2 - 2″ Belts 1 - 1½″ Belt		
	Stand.	S. Lap	Special	Stand.	S. Lap	Special
38 ft.	87.00	97.75	106.50	97.00	109.00	121.75
40 ft.	92.50	102.50	111.75	102.00	114.75	128.25
42 ft.	95.75	107.50	117.25	107.00	120.25	134.50
44 ft.	100.25	112.50	122.75	112.00	126.00	140.75
46 ft.	104.75	117.50	128.00	117.00	131.50	147.00
48 ft.	109.25	122.50	133.50	122.00	137.25	153.25
50 ft.	113.75	127.50	139.00	127.00	142.75	159.50
52 ft.	118.25	132.50	144.25	132.00	148.50	165.75
54 ft.	122.50	137.50	149.75	137.00	154.00	172.00
56 ft.	127.00	142.50	155.25	142.00	159.75	178.25
58 ft.	131.50	147.50	160.50	147.00	165.25	184.50
60 ft.	136.00	152.50	166.00	152.00	170.75	190.75
62 ft.	140.50	157.50	171.50	157.00	176.50	197.00
64 ft.	144.75	162.50	177.00	162.00	182.00	203.25
66 ft.	149.25	167.25	182.25	167.00	187.75	209.50
68 ft.	153.75	172.25	187.75	172.00	193.25	215.75
70 ft.	158.25	177.25	193.00	177.00	199.00	222.25
72 ft.	162.75	182.25	198.50	182.00	204.50	228.50
74 ft.	167.00	187.25	204.00	187.00	210.25	234.75
76 ft.	171.50	192.25	209.50	192.00	215.75	241.00
78 ft.	176.00	197.25	214.75	197.00	221.50	247.25
80 ft.	180.50	202.25	220.25	202.00	227.00	253.50

40-inch Drapers

	Two-Belt Drapers 2 - 2½" Belts		
	Stand.	S. Lap	Special
38 ft.	97.00	108.75	119.75
40 ft.	102.75	114.25	125.75
42 ft.	107.50	119.75	131.75
44 ft.	112.75	125.25	137.75
46 ft.	117.50	130.75	144.00
48 ft.	122.50	136.25	150.00
50 ft.	127.50	141.75	156.00
52 ft.	132.50	147.50	162.25
54 ft.	137.50	153.00	168.25
56 ft.	142.50	158.50	174.25
58 ft.	147.50	164.00	180.50
60 ft.	152.50	169.50	186.50
62 ft.	157.50	175.00	192.50
64 ft.	162.50	180.50	198.75
66 ft.	167.50	186.00	204.75
68 ft.	172.50	191.50	210.75
70 ft.	177.25	197.00	216.75
72 ft.	182.25	202.75	223.00
74 ft.	187.25	208.25	229.00
76 ft.	192.25	213.75	235.00
78 ft.	197.25	219.25	241.25
80 ft.	202.25	224.75	247.25

44-inch Drapers

	Two-Belt Drapers 2 - 2" Belts		
	Stand.	S. Lap	Special
38 ft.	92.25	102.75	111.75
40 ft.	97.00	108.00	117.25
42 ft.	101.50	113.25	123.00
44 ft.	106.25	118.50	128.75
46 ft.	111.00	123.75	134.25
48 ft.	115.75	129.00	140.00
50 ft.	120.25	134.25	145.50
52 ft.	125.00	139.50	151.25
54 ft.	129.75	144.75	157.00
56 ft.	134.50	149.75	162.50
58 ft.	139.25	155.00	168.25
60 ft.	143.75	160.25	174.00
62 ft.	148.50	165.50	179.50
64 ft.	153.25	170.75	185.25
66 ft.	158.00	176.00	191.00
68 ft.	162.50	181.25	196.50
70 ft.	167.25	186.50	202.25
72 ft.	172.00	191.75	208.00
74 ft.	176.75	196.75	213.50
76 ft.	181.50	202.00	219.25
78 ft.	186.00	207.25	225.00
80 ft.	190.75	212.50	230.50

44-inch Drapers

	Two-Belt Drapers 2 - 2½" Belts			Three-Belt Drapers 2 - 2½" Belts 1 - 2" Belt		
	Stand.	S. Lap	Special	Stand.	S. Lap	Special
38 ft.	103.00	114.00	124.75	116.25	131.25	145.50
40 ft.	108.00	119.75	131.25	122.00	138.00	153.00
42 ft.	113.25	125.50	137.50	128.00	144.75	160.50
44 ft.	118.50	131.25	143.75	134.00	151.50	168.00
46 ft.	123.75	137.00	150.25	140.00	158.25	175.50
48 ft.	129.00	142.75	156.50	146.00	165.00	183.00
50 ft.	134.25	148.50	162.75	152.00	171.75	190.50
52 ft.	139.50	154.25	169.00	158.00	178.50	197.75
54 ft.	144.75	160.00	175.50	163.75	185.25	205.25
56 ft.	150.00	165.75	181.75	169.75	192.00	212.75
58 ft.	155.25	171.50	188.00	175.75	198.75	220.25
60 ft.	160.25	177.25	194.50	181.75	205.50	227.75
62 ft.	165.50	183.25	200.75	187.75	212.00	235.25
64 ft.	170.75	189.00	207.00	193.75	219.00	242.75
66 ft.	176.00	194.75	213.25	199.50	225.50	250.25
68 ft.	181.25	200.50	219.75	205.50	232.25	257.50
70 ft.	186.50	206.25	226.00	211.50	239.00	265.00
72 ft.	191.75	212.00	232.25	217.50	245.75	272.50
74 ft.	197.00	217.75	238.75	223.50	252.50	280.00
76 ft.	202.25	223.50	245.00	229.25	259.25	287.50
78 ft.	207.25	229.25	251.25	235.25	268.00	295.00
80 ft.	212.50	235.00	257.50	241.25	272.75	302.50

48-inch Drapers

	48" Draper — Two 2½" Belts		
	Stand.	S. Lap	Special
38 ft.	105.00	130.00	152.75
40 ft.	110.50	136.75	160.75
42 ft.	116.00	143.50	167.75
44 ft.	121.50	150.25	177.00
46 ft.	127.00	157.25	185.00
48 ft.	132.50	164.00	193.00
50 ft.	138.00	170.75	201.00
52 ft.	143.50	177.50	209.00
54 ft.	149.25	184.50	217.25
56 ft.	154.75	191.25	225.25
58 ft.	160.25	198.25	233.25
60 ft.	165.75	205.00	242.25
62 ft.	171.25	211.75	249.50
64 ft.	176.25	218.75	257.50
66 ft.	182.25	225.50	265.50
68 ft.	187.75	232.50	273.50
70 ft.	193.25	239.00	281.50
72 ft.	199.00	246.00	289.50
74 ft.	204.50	252.75	297.50
76 ft.	210.00	259.50	305.50
78 ft.	215.50	266.50	313.50
80 ft.	221.00	273.25	321.75

48-inch Drapers

	Two-Belt Drapers 2 - 3″ Belts			Three-Belt Drapers 2 - 3″ Belts 1 - 2½″ Belt		
	Stand.	S. Lap	Special	Stand.	S. Lap	Special
38 ft.	117.50	130.75	143.75	135.00	152.25	169.75
40 ft.	123.50	137.25	151.00	142.00	160.25	178.50
42 ft.	129.25	143.75	158.25	149.50	168.00	187.25
44 ft.	135.25	150.50	165.75	155.75	175.75	195.75
46 ft.	141.25	157.00	173.00	162.75	183.50	204.50
48 ft.	147.25	163.75	180.25	169.75	191.50	213.25
50 ft.	153.25	170.25	187.50	176.50	199.25	222.00
52 ft.	159.25	177.00	194.75	183.50	207.00	230.50
54 ft.	165.00	183.50	202.00	190.50	215.00	239.25
56 ft.	171.00	190.25	209.25	197.25	222.75	248.00
58 ft.	177.00	196.75	216.50	204.25	230.50	256.75
60 ft.	183.00	203.50	223.75	211.25	238.25	265.50
62 ft.	189.00	210.00	231.00	218.00	246.00	274.00
64 ft.	195.00	216.75	238.50	225.00	254.00	282.75
66 ft.	200.75	223.25	245.75	232.00	261.75	291.50
68 ft.	206.75	230.00	253.00	238.75	269.50	300.25
70 ft.	212.75	236.50	260.25	245.75	277.50	309.00
72 ft.	218.75	243.00	267.50	252.75	285.25	317.75
74 ft.	224.75	249.75	274.25	259.75	293.00	326.25
76 ft.	230.75	256.25	282.00	266.50	300.75	335.00
78 ft.	236.75	263.00	289.25	273.50	308.75	343.75
80 ft.	242.50	269.50	296.50	280.50	316.50	352.50

52-inch Drapers

	Two-Belt Drapers 2 - 3″ Belts			Three-Belt Drapers 2 - 3″ Belts 1 - 2½″ Belt		
	Stand.	S. Lap	Special	Stand.	S. Lap	Special
38 ft.	126.75	141.00	155.25	141.50	159.00	176.75
40 ft.	133.00	147.75	162.75	148.50	167.00	185.50
42 ft.	139.25	154.75	170.25	155.75	175.25	194.50
44 ft.	145.50	161.75	177.75	163.00	183.25	203.50
46 ft.	151.75	168.50	185.50	170.00	191.25	212.25
48 ft.	158.00	175.50	193.00	177.25	199.25	221.25
50 ft.	164.25	182.25	200.50	184.25	207.25	230.25
52 ft.	170.50	189.25	208.00	191.50	215.25	239.00
54 ft.	176.75	196.25	215.50	198.50	223.25	248.00
56 ft.	183.00	203.00	223.25	205.75	231.25	257.00
58 ft.	189.25	210.00	230.75	213.00	239.50	265.75
60 ft.	195.25	216.75	238.25	220.00	247.50	274.75
62 ft.	201.50	223.75	245.75	227.25	255.50	283.75
64 ft.	207.75	230.75	253.50	234.25	263.50	292.50
66 ft.	214.50	237.50	261.00	241.50	271.50	301.50
68 ft.	220.25	244.50	268.50	248.75	279.50	310.50
70 ft.	226.50	251.25	276.00	255.75	287.50	319.25
72 ft.	232.75	258.25	283.75	263.00	295.50	328.25
74 ft.	239.00	265.25	291.25	270.00	303.50	337.25
76 ft.	245.25	272.00	298.75	277.25	311.75	346.00
78 ft.	251.50	279.00	306.25	284.25	319.75	355.00
80 ft.	257.75	285.75	314.00	291.50	327.75	364.00

LINK BELTING

No.	Links Per Foot	Working Strain	Price Per Foot
25	13.3	115 lb.	17¼
32	10.4	185 lb.	18½
33	8.6	200 lb.	17¼
34	8.6	220 lb.	19½
35	7.4	200 lb.	20¾
42	8.8	250 lb.	21¾
44	8.1	265 lb.	25⅓
45	7.4	270 lb.	18½
48	6.0	280 lb.	23
50	8.7	320 lb.	25⅓
52	8.0	385 lb.	26½
55	7.4	365 lb.	23
62	7.3	520 lb.	31
66	6.0	550 lb.	37
67	5.2	550 lb.	33⅛
072	7.3	725 lb.	54
72	5.9	710 lb.	55
72½	7.3	765 lb.	60
075	5.8	765 lb.	43¼
76	5.2	590 lb.	46
76½	5.8	650 lb.	40¼
77	5.2	600 lb.	37
78	4.6	820 lb.	50½
88	4.6	960 lb.	57½
103	3.9	1600 lb.	84
114	3.7	1835 lb.	1 12¾
115	3.7	2120 lb.	1 35¾
EC-62 Roller	7.3	7000 lb.	1 95
EC-88 Roller	4.6	11000 lb.	1 90
Jackson Feeder			55
Jackson Straw Carrier			55

LINK BELT ATTACHMENTS

No.	For Link Belt No.	Links Per Foot	Price Per Foot
A—3 Right Hand	42	8.8	74¾
A—3 Left Hand	42	8.8	74¾
A—3 Right Hand	44	8.1	55
A—3 Left Hand	44	8.1	55
A—3 Right Hand	45	7.4	56
A—3 Left Hand	45	7.4	56
A—3 Right Hand	52	8.0	53
A—3 Left Hand	52	8.0	53
K—1	44	8.1	50
K—1	45	7.4	38
K—1	52	8.0	48
K—1	62	7.3	57½
			Each
Straight Couplers	EC-62 Roller	7.3	65
Straight Couplers	EC-88 Roller	4.6	70
Offset Couplers	EC-62 Roller	7.3	75
Offset Couplers	EC-88 Roller	4.6	80


M17
M18
M19
M22
M23
M24
M51
AM51
M60
M61
M62
M63
M64
M65
M66
M67
M69
M70
M71
M82
M84
M93
M96
M98
M99
M97
M306
M123
M116
M118
M320
M121
M122


M204
M201
M203
M207
M205
M210
M212
M213
BM207
M206
M211
M221
M420
M216
BM214
M214
M215


M225
M226
M227
M228
BM228
M229
M230
M231
M232
M233
M234
M235
M237
M249
M250
M252
M238
M239
M240
M241
M243
M246
HARRIS
M245
M253
M268
M273
M275
M276
M277
M278
M280
M281
M283
M285
M287
M288
M289
M290
M291
M292


M295
M302
M308
M301
M326
M309
M313
M316
M318
M314
M315
M317
M319
M324
M103
M325
M312
M311
M339
M247
M248
M332
M328
M334
M336
M335
M343
M327
M337
M329
M340
M505
M209
M341
M342
M349
M525
M528
M526
M345
M522
M347
M348
M527
M346
M516
M456
M517


M133
M333
M533
M156
1145
1237
1497
1125
M157
4 1-4"x36" 50-55 H. P.
3 3-4"x48" 40-45 H. P.
3 1-4"x48" 25-30 H. P.


Large Carburetor
Small Carburetor
Magneto
Vacuum Can
Spark Plug
Mech. Oiler
Prime
Relief
Cocks
No. O
No. C
Oil Cups
1-8"
1-4"
Grease Cup
11-16"
5-8"
1-2"
Check Balls
Oil
Dipper
Throttle
Clamp
1-4"
5-16"
Ball Joint
Hose
Clamp
Ball
Roller
Bearings
Sight
Overthrow
Oilers

PARTS LIST

HARRIS 40-45 HP TYPE "C" MOTOR

Part No.	Description	Price
M— 17	Governor Housing	3 75
M— 18	Governor Head	3 50
M— 19	Governor Slide	1 95
M— 22	Governor Ball	75
M— 23	Governor Lever Eccentric	1 25
M— 24	Governor Adjusting Nut	35
M— 51	Center Door Clamp	25
AM— 51	Crooked Center Door Clamp	35
M— 60	Friction Drive Plate	9 75
M— 61	Friction Spreader Collar	8 25
M— 62	Friction Cone	7 75
M— 63	Friction Dogs	90
M— 64	Friction Links ($\frac{3}{8}$"x1"x2$\frac{3}{16}$")	10
M— 65	Bolt for M-61 Collar, with Nuts	25
M— 66	Pins for Collar, M-61 (Short)	25
M— 67	Magneto Shaft Coupling Flange	1 25
M— 69	Cone Collar for Friction (2 Pieces)	7 75
M— 70	Bolt for M-69 Cone Collar	15
M— 71	Clutch Spring	75
M— 72	Pin for Collar M-61 (Long)	15
M— 82	Governor Spring	40
M— 84	Piston for Oil Pump	1 00
M— 93	Stud for Governor Eccentric	50
M— 96	Collar for Magneto Shaft	95
M— 97	Pin for Cone Collar	20
M— 98	Washer for Governor Eccentric	25
M— 99	Spring for Oil Pump	35
M—103	Oiler Pulley	2 75
M—116	Clamp for Fibre Tube	20
M—118	Magneto Coupling (Center Piece)	1 25
M—121	Pin for Governor Balls ($\frac{5}{16}$"x1$\frac{15}{16}$")	25
M—122	Flange for Water Manifold	1 10
BM—133	Bushing for Friction Pulley (Bronze)	20 00
M—201	Cylinder Head	22 25
M—203	Cylinder	38 00
M—204	Crankcase	181 50
M—205	Crankshaft Bearing (Center)	3 65
M—206	Crankshaft Bearing Cap (Center)	3 25
M—207	Piston	19 00
BM—207	Piston Bushings, per pair	5 00
M—209	Exhaust Manifold	8 85
M—210	Crankshaft Bearing (Gear End)	4 50
M—211	Crankshaft Bearing Cap (Gear End)	4 35
M—212	Crankshaft Bearing (Clutch End)	5 75
M—213	Crankshaft Bearing Cap (Clutch End)	9 35
M—214	Gear Case, with bushing	18 50
BM—214	Gear Case Bushing	1 85
M—215	Gear Case Cover	7 50
M—216	Magneto Gear Cover	3 65
M—221	Governor Arm	2 15
M—225	Pump Eccentric and Exhaust Cam	2 00
M—226	Exhaust Cam	1 75
M—227	Inlet Cam	1 75
M—228	Camshaft Bearing (Center)	5 00
BM—228	Camshaft Bushing	2 65
M—229	Camshaft Bearing (Gear End)	5 75
M—230	Camshaft Gear	18 45
M—231	Water Manifold (Outlet)	6 90

Part No.	Description	Price
M—232	Water Manifold (Inlet)	6 25
M—233	Rocker Arm	1 50
M—234	Rocker Arm Bracket	3 75
M—235	Piston Ring	1 00
M—237	Cap for Magneto Bracket	40
M—238	Flywheel	72 00
M—239	Valve Guide	1 95
M—240	Tappet Guide	1 50
M—241	Tappet	1 50
M—243	Push Rod End	80
M—245	Crankcase Door	6 00
M—246	Pump Body	8 25
M—247	Oil Distributor	10 90
M—248	Oil Distributor Cap	75
M—249	Clamp for Tappet Guide	30
M—250	Clamp for Manifolds	45
M—252	Clamp for Door—End	20
M—253	Camshaft Bearing (Clutch End)	4 65
M—268	Connecting Rod Bolt (Lower End), with Nuts	85
M—273	Piston Pin	3 50
M—275	Shaft for Rocker Arms	60
M—276	Pin for Push Rod Head	15
M—277	Push Rod	60
M—278	Dust Cap	50
M—280	Valve Spring Washer	50
M—281	Valve Spring Washer Stirrup	35
M—283	Pump Rod	1 20
M—285	Magneto Shaft	1 30
M—287	Crankshaft	155 00
M—288	Connecting Rod, with Cap	12 30
	Connecting Rod M-288, Comp. with bearings, bolts, etc.	18 50
M—289	Cap Screw for Connecting Rod (Upper End)	65
M—290	Valve	3 50
M—291	Crankshaft Gear	10 20
M—292	Magneto Shaft Gear	6 70
M—295	Priming Cup Lever	65
M—301	Camshaft (Shaft only)	5 50
M—302	Splash Pan	70
M—306	Throttle Rod	35
M—308	Gasket—Cylinder Head	1 00
M—309	Gasket—Manifold	35
M—311	Gasket—Inlet Water Manifold	10
M—312	Gasket—Outlet Water Manifold	15
M—313	Exhaust Valve Spring	70
M—314	Inlet Valve Spring	60
M—315	Connecting Rod Bearings, per pair	4 25
M—316	Oil Pipe, ¼"x16", with Cap	55
M—317	Oil Pipe, ¼"x6⅜", with Cap	40
M—318	Oil Pipe, ¼"x12½", with Cap	50
M—319	Oil Pipe, ¼"x4", with Cap	40
M—320	Governor Link	25
M—324	Oiler Pulley on Camshaft	3 00
M—325	Elbow for Water Manifold	1 25
M—326	Bracket for Oiler	3 35
M—327	Outboard Bearing Frame	29 00
M—328	Cap for Outboard Bearing Frame	4 15
M—329	Back Driver and Quill	27 50
M—332	Pulley—Pump Drive	6 35
M—333	Friction Pulley—20" Diameter, 8" Face	60 00
M—334	Quadrant for Governor Control	75
M—335	Lever for M-334 Quadrant	70
M—336	Lever—Magneto Advance	65
M—337	Handle for M-336 Lever	95
M—339	Bracket for KW Model HK or RK Magneto	7 25
M—340	Intake Manifold	11 50
M—341	Exhaust Manifold	8 85
M—342	Bracket for Bosch ZR-4 Magneto	6 60
M—343	Handle for M-335 Lever	65
M—344	Manifold Adapter for 1½" Ensign Carburetor	2 00

Part No.	Description	Price
M—345	Stud for Inlet Water Manifold, 3/8"x2 3/8"	15
M—346	Stud for Outlet Water Manifold, 3/8"x3"	15
M—347	Stud for Cylinder Head (Long), 5/8"x6 3/4"	35
M—348	Stud for Cylinder Head and Manifolds, 5/8"x6"	35
M—349	Stud for Quill, 7/8"x13"	90
M—420	Governor Shifting Yoke	95
M—456	Shim for Gear End Crankshaft Bearing, per doz.	40
M—505	Speeder Rod, 1/4"x8 1/2"	30
M—516	Stud for Tube Clamp, 1/4"x1 1/2"	08
M—517	Shim for Clutch End Crankshaft Bearing, per doz.	50
M—522	Shim for Center Crankshaft Bearings, per doz.	40
M—525	Stud for Inside Main Bearings, 5/8"x6"	30
M—526	Stud for Door (Center), 1/2"x2 3/8"	15
M—527	Stud for Door (Corner), 1/2"x2 1/2"	15
M—528	Stud for Door (Bottom Center), 1/2"x2 3/4"	15

MISCELLANEOUS PARTS

40-45 H. P. HARRIS MOTOR

Description	Price
Ball and Socket Joint (1/4"x1/4")	20
Ball and Socket Joint (1/4"x5/16")	20
Brass Nipples—1/8"	15
Brass Elbows—1/8"	20
Carburetors	(Write for Prices)
Clarifiers, each	16 50
Cloths—Clarifier, each	1 00
Clutch Lever	7 70
Exhaust Pipes, each	4 50
Felt—1/4", per pound	4 45
Fibre Tubing—7/8", per foot	50
Magnetos—KW Model RK	(Write for Prices)
Oilers—Manzel Force Feed, 4-feed	30 00
Oilers—"Gits," 1/8" Shank	20
Oiler Drive Belt	85
Priming Cups—Fig. 368	2 00
Sight-Feed Oil Cups—Fig. 33	3 00
Sight Feed for Overflow (Fig. 738-A)	4 25
Spark Plugs—Splitdorf Heavy Duty, each	1 25
Spark Arresters, Comp., 1237 bottom, each	7 50
Spark Plug Wrench	1 00
Starting Bar	1 00
Steel Balls—11/16"	15
Stoves—Hot-air for Carburetors	12 75
Taper Pins—No. 4, 2"	06
Taper Pins—No. 5, 1 1/2"	06
Taper Pins—No. 2, 1 1/2"	05
Taper Pins—No. 1, 1"	03
Vacuum Tanks—Stewart	12 50
Wire—Magneto, per foot	15
Wire Terminals, each	05
Woodruff Key No. 5	05

64658 ATWOOD PRINTING CO., MASONIC TEMPLE, STOCKTON